L Number	Hits	Search Text	DB	Time stamp
-	360	((flush\$3 or delet\$3 or clear\$3 or remov\$3	USPAT;	2003/10/12 19:07
ŀ		or mov\$3 or transfer\$5) with transaction\$2	US-PGPUB;	=====================================
ŀ		with log) and (@ad<20010215)	IBM TDB	
_	167	((flush\$3 or delet\$3 or clear\$3 or remov\$3	USPAT;	2003/10/12 20:25
		or mov\$3 or transfer\$5) with (log or	US-PGPUB;	
İ		transaction\$2) with (volatil\$5 or memory)	IBM TDB	
ļ		with (stable or nonvolatil\$5 or (non adj		
ļ		volatil\$5) or drive or database)) and		
		(@ad<20010215)		
_	140	((flush\$3 or delet\$3 or clear\$3 or remov\$3	USPAT;	2003/10/12 19:28
		or mov\$3 or transfer\$5) with (log or	US-PGPUB;	
Į		memor\$3 or storage) with (before or prior)	IBM TDB	
		with (end or last) with (transaction\$2 or	_	
		procedure\$2 or step\$2 or function\$2)) and	l	
		(@ad<20010215)		
- 1	535	((directive or message\$2 or instruction\$2)	USPAT;	2003/10/12 19:45
		with (flush\$3 or delet\$3 or clear\$3 or	US-PGPUB;	
		remov\$3 or mov\$3 or transfer\$5) with log)	IBM TDB	
		and (@ad<20010215)	_	
-	118	((end adj transaction) with (directive or	USPAT;	2003/10/12 19:47
!		message or instruction)) and	US-PGPUB;	
		(@ad<20010215)	IBM_TDB	
-	5	((flush\$3 or delet\$3 or clear\$3 or remov\$3	USPĀT;	2003/10/12 21:37
		or mov\$3 or transfer\$5) with (log or	US-PGPUB;	
		transaction\$2) with (volatil\$5 or memory)	IBM_TDB	
		with (stable or nonvolatil\$5 or (non adj	_	
		volatil\$5) or drive or database)) and		
		(@ad<20010215) and ((end adj transaction)		
		with (directive or message or		
		instruction))		0000454555
-	76	((USPAT;	2003/10/12 21:37
		or mov\$3 or transfer\$5) with (log or	US-PGPUB;	
.		transaction\$2 or memor\$3 or storage)) and	IBM_TDB	
·		(@ad<20010215) and ((end adj transaction)		
		with (directive or message or		
	10.	instruction))	IICDAM.	2002/10/12 21:40
-	134	(write adj ahead adj log\$5) and	USPAT;	2003/10/12 21:49
		(@ad<20010215)	US-PGPUB; IBM TDB	
	. 26	(write adj ahead adj log\$5) and	USPAT;	2003/10/12 22:20
_	. 26	(@ad<20010215) and ((flush\$3 or delet\$3 or	US-PGPUB;	2003/10/12 22:20
		clear\$3 or remov\$3 or mov\$3 or transfer\$5)	IBM TDB	
•		with transaction\$2 with log)	100-100	
	20	(write adj ahead adj log\$5) and	USPAT;	2003/10/12 21:55
	20	(@ad<20010215) and ((flush\$3 or delet\$3 or	US-PGPUB;	
		clear\$3 or remov\$3 or mov\$3 or transfer\$5)	IBM TDB	
		with (log or transaction\$2) with		
		(volatil\$5 or memory) with (stable or		
		nonvolatil\$5 or (non adj volatil\$5) or		
		drive or database))		
_	98	(parsing adj engine) and (@ad<20010215)	USPAT;	2003/10/14 12:56
		(Friedrich and friedrich and (com moderate)	US-PGPUB;	
		•	IBM TDB	
_	1	"20020112094"	USPĀT;	2003/10/13 17:50
			US-PGPUB;	
			IBM TDB	
_	47	(implicit adj transaction) and	USPAT;	2003/10/13 21:27
		(@ad<20010215)	US-PGPUB;	
			IBM TDB	
_	97	(fallback) and (@ad<20010215) and	USPAT;	2003/10/13 21:30
		(707/\$.ccls. or 709/\$.ccls.)	US-PGPUB;	
			IBM_TDB	
-	11	4507751.pn. or 5261089.pn. or 5751962.pn.	USPAT;	2003/10/13 21:36
		or 5841972.pn. or 5864842.pn. or	US-PGPUB;	
		5884299.pn. 5922072.pn. or 5933601.pn. or	IBM_TDB	
		5960181.pn. or 5961642.pn. or 5978576.pn.	_	
	-			

-	66	((parallel\$5 with process\$3) same	USPAT;	2003/10/14 13:04
		(database or query or search\$3)) and	US-PGPUB;	
		((pars\$3 or divid\$3) with (quer\$3 or	IBM TDB	
		search\$3)) and (@ad<20010215) and	1 -	
		(((flush\$3 or clear\$3 or delet\$3 or		
		remov\$3 or mov\$3 or transfer\$5) with log)		
		or (commit\$3 with (transaction or		
		operation)) or ((transfer\$5 or move or		
		moving or flush\$3) with (volatil\$5 or		
		memory) with (stable or drive or		•
	1	database)))		

Page 2